

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

TransAmerican Strukturoc, Inc. 920 Apollo Road, Ste. 120 Eagan, MN 55121

Scope:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: "Strukturoc Force Five" Impact Resistant 0.0396" (min.) Structural Steel Wall Panel

APPROVAL DOCUMENT: Drawing No. Struc - 200, titled "Strukturoc Force Five Composite Panel", sheets 1 through 5 of 5, prepared by Wolters Engineering, Inc., dated October 24, 2008, last revision #1 dated January 29, 2013, signed and sealed by Scott Wolters, P.E., bearing the Miami-Dade County Product Control Revision stamp with the Notice of Acceptance number and the expiration date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises & renews NOA #08-0724.01 and consists of this page 1, evidence submitted pages E-1, E-2, & E-3 as well as approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.

MIAMIDADE COUNTY APPROYED He GA- 166

NOA No. 13-0206.19 Expiration Date: 02/07/2018 Approval Date: 07/11/2013

Page 1

TransAmerican Strukturoc, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL #07-0803.11

A. DRAWINGS

1. Drawing No. Struc - 100, titled "Strukturoc Force Five Composte Panel", sheets 1 through 5 of 5, prepared by Wolters Engineering, Inc., dated July 12, 2007, last revision #1 dated December 26, 2007, signed and sealed by Scott Wolters, P.E.

B. TESTS

1. Test report on Large Missile Impact Test, Cyclic Wind Pressure Test, and Uniform Static Air Pressure Test on Strukturoc Exterior Steel Wall Panel, prepared by Stork Twin City Testing Corporation, Report No. 180-7393, dated 05/30/2005, signed by Thomas Allan Kolden, P.E.

C. CALCULATIONS

- 1. Calculations titled "Strukturoc Force Five Composite Panel", 3 pages, dated 07/27/07, prepared by Wolters Engineering, Inc., signed and sealed by Scott Wolters, P.E.
- 2. Calculations titled "Strukturoc Force Five Composite Panel", 3 pages, dated 12/26/07, prepared by Wolters Engineering, Inc., signed and sealed by Scott Wolters, P.E.

D. QUALITY ASSURANCE

1. By Miami-Dade County Building Code Compliance Office.

E. MATERIAL CERTIFICATIONS

1. Tensile Test Data issued by West Penn Material Evaluation, dated May 30, 2007, with mechanical properties of Sheet Steel.

2. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL #08-0514.12

A. DRAWINGS

1. Drawing No. Struc - 100, titled "Strukturoc Force Five Composte Panel", sheets 1 through 5 of 5, prepared by Wolters Engineering, Inc., dated July 12, 2007, last revision #2 dated May 12, 2008, signed and sealed by Scott Wolters, P.E.

B. TESTS

1. None.

C. CALCULATIONS

1. None.

Helmý A. Makar, P.E., M.S. Product Control Unit Supervisor

NOA No. 13-0206.19 Expiration Date: 02/07/2018

Approval Date: 07/11/2013

TransAmerican Strukturoc, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

D. QUALITY ASSURANCE

1. By Miami-Dade County Building Code Compliance Office.

E. MATERIAL CERTIFICATIONS

None.

3. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL #08-0724.01

A. DRAWINGS

1. Drawing No. Struc - 200, titled "Strukturoc Force Five Composte Panel", sheets 1 through 5 of 5, prepared by Wolters Engineering, Inc., dated October 24, 2008, signed and sealed by Scott Wolters, P.E., on December 30, 2008.

B. TESTS

1. Test report on Large Missile Impact Test, Cyclic Wind Pressure Test, and Uniform Static Air Pressure Test on Strukturoc Exterior Steel Wall Panel, prepared by Stork Twin City Testing Corporation, Report No. 113-96385.2, dated 10/01/2008, signed and sealed by Jason R. Steen, P.E.

C. CALCULATIONS

1. Calculations titled "Strukturoc Force Five Composite Panel", 3 pages, dated 10/27/08, prepared by Wolters Engineering, Inc., signed and sealed by Scott Wolters, P.E.

D. QUALITY ASSURANCE

1. By Miami-Dade County Building Code Compliance Office.

E. MATERIAL CERTIFICATIONS

1. None.

4. NEW EVIDENCE SUBMITTED

A. DRAWINGS

1. Drawing No. Struc - 200, titled "Strukturoc Force Five Composite Panel", sheets 1 through 5 of 5, prepared by Wolters Engineering, Inc., dated October 24, 2008, last revision #1 dated January 29, 2013, signed and sealed by Scott Wolters, P.E.,

B. TESTS

1. None.

Helmy A. Makar, P.E., M.S. Product Control Unit Supervisor

NOA No. 13-0206.19 Expiration Date: 02/07/2018

Approval Date: 07/11/2013

TransAmerican Strukturoc, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- C. CALCULATIONS
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources.
- E. MATERIAL CERTIFICATIONS
 - 1. None.

Helmy A. Makar, P.E., M.S. Product Control Unit Supervisor

> NOA No. 13-0206.19 Expiration Date: 02/07/2018 Approval Date: 07/11/2013

FASTENER SCHEDULE				
SYMBOL	FASTENER	MAX. SPACING	BASE MATERIAL	MIN. EMBED
•	1/4" x 1 1/4" HH TEKS TYPE SCREW	16" O.C.	WOOD OR STEEL (20 Ga. MIN.)	1" 1/2"
₩	1/4" x 3/4" HH TEKS TYPE SCREW	16" O.C.	STEEL (20 Ga. MIN.)	1/2"

DESIGN PRESSURE


+/-120 PSF


STRUKTUROC "FORCE FIVE" COMPOSITE PANEL


IMPACT RESISTANT 20 Ga (0.1396") STEEL AND AGGREGATE PANEL, FASTENED DIRECTLY TO WOOD OR STEEL SUPPORTS OR USING STEEL HAT CHANNELS.


GENERAL NOTES:

- 1. HAT CHANNELS AREA REQUIRED WHEN USING BLANKET INSULATION WITH A THCKNESS OF 3" OR MORE.
- ▲ 2. THIS SYSTEM IS DESIGNED TO COMPLY WITH THE REQUIREMENTS OF THE 2010 FLORIDA BUILDING CODE. INCLUDING THE HVHZ PROVISIONS.
- 3. DESIGN LOADS MUST BE CALCULATED BY A PROFESSIONAL ENGINEER OR ARCHITECT FOR EACH PROJECT. THE PROJECT PRESSURE CANNOT EXCEED THE DESIGN PRESSURE ABOVE.
- 4. WOOD BUCKS BY OTHERS MUST BE ANCHORED PROPERLY TO TRANSFER IMPOSED LOADS TO THE STRUCTURE BEYOND.
- ANCHORS SHALL BE AS LISTED ABOVE. ANCHOR EMBEDMENT IN BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.
- ▲ 6. MATERIALS INCLUDING BUT NOT LIMITED TO STEEL/METAL SCREWS THAT COME INTO CONTACT WITH OTHER DISSIMILAR MATERIALS SHALL MEET THE REQUIREMENT OF THE 2010 FLORIDA BUILDING CODE, SECTION 2003.8.4.










Mismi Dado Bolluct Control


DRAWING NO. STRUC-200

SHEET NO. 4 of 5

300A STEEL HAT CHANNEL (ASTM A653, SS GR40, GALVANIZED G-90)





CR209 STEEL HAT CHANNEL (ASTM A653, SS GR40, GALVANIZED G-90)



500C LOCKING SEAM CLIP

(ASTM A682/A684 301 FULL HARD, STAINLESS SPRING STEEL)





10/24/08

TransAmerican Struktu

1

RUF WITH

FOR MDBCCO USE ONLY

PRODUCT REVISED
as complying with the Florida
Building Code
Acceptance No 13-0206.
Expiration Date Code 7.750

By H. Control Divide Broduct Control

SCOTT WOLTEF FL E#62354 WOLTERS ENGINE

DRAWING NO. STRUC-200

SHEET NO. 5 of 5